



DOSAGE BOOKLET

UROMUNE[®] 
PERLINGUAL **SPRAY**

More info:
www.inmunotek.com.au

PATIENT'S DIARY



Name:	DOB:
Doctor:	
Treatment start date:	Treatment end date:

Observations:

Recommendations:

HOW TO USE THE SUBLINGUAL SPRAY?



Do not eat, drink or brush teeth 30mins before and after applying the vaccine.

Uromune® works best when your mouth is in as natural a state as possible. For this reason, many prefer to spray Uromune® first thing in the morning.



Remove the plastic seal.




Shake the bottle gently.



If starting a new, unused bottle: first prime the bottle by rotating the pipette sideways and pressing the spray button 3 or 4 times to fill the pump mechanism.

You will not need to do this again until you start a new bottle.



Lift your tongue and spray twice.


Pressing the button too slowly will cause the medication to come out in a stream instead, which is less effective.



Hold the dose under your tongue, for approximately 1-2 minutes before swallowing.



Rotate the pipette back to its downward pointing position.



Store the vaccine in its original packaging and keep it refrigerated (2-8°C).

While the vaccine is still viable at room temperature for a few hours, if you need to travel, consider using an insulated container with an ice bag. **DO NOT FREEZE.**

Treatment Starting Date: ___/___/_____

WEEK	MON	TUE	WED	THU	FRI	SAT	SUN
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							
11							
12							

Dosage



2 sprays daily

2 bottles of 9mL.

Each spray dispenses 0.1 mL

Approximate duration of treatment (2 bottles): 3 months

PRODUCT CHARACTERISTICS

UROMUNE® is a glycerinated suspension containing whole-cell, inactivated bacteria, intended for specific sublingual immunotherapy.

Composition: The active substances are four whole cell-inactivated bacterial strains: *Klebsiella pneumoniae* (25%), *Escherichia coli* (25%), *Enterococcus faecalis* (25%) and *Proteus vulgaris* (25%) (300 FTU*/mL ~ 10⁹ Bacteria/mL).

Ingredients: Glycerol, sodium chloride, artificial pineapple flavouring and water for injection.

Pharmaceutical form: Suspension for sublingual spray.

Presentation: UROMUNE® is available in 2 vials, each of 9 mL, adequate for approximately 3-month treatment. It is packed in an amber glass vial, closed with a plastic cap containing a spray pump and an applicator for spraying, and secured by a seal.

Indications: UROMUNE® is a mucosal vaccine indicated for the prevention of recurrent urinary tract infections of diverse aetiology. It works stimulating the immune system, thereby increasing its resistance against urinary infections. UROMUNE® can be administered to adults, children and infants.

Administration instructions: UROMUNE® administration must be as separated as possible from the intake of meals and/or beverages in order to allow maximum exposure and contact of the product with the administration area. Do not brush teeth or rinse the mouth within 30 minutes of the administration of UROMUNE®.

Storage: Store in a refrigerator (2-8°C). Keep out of the sight and reach of children.

*FTU: Formazin Turbidity Units.

This product is not registered on the ARTG



For full product information, please contact us:
info@inmunotek.com.au


L13/99 Walker St, North Sydney, 2060 NSW

ABN: 38 672 318 151

www.inmunotek.com.au

INNOVATING AND SHARING IDEAS

since 1992



About Immunotek

Founded in 1992 by immunologist Dr. José Luis Subiza, Immunotek is a global pharmaceutical company bringing medical advances to people with allergies or immunological diseases.

Immunotek's world-class facility in Madrid has come a long way from the small clinical laboratory built by pioneering allergist and palynologist Dr. Eliseo Subiza. Today, our multidisciplinary team spans across 63 countries to discover, test, create, and deliver diagnostic and treatment solutions. In Australia, our dedicated expert support team is leading the way, meeting the needs of Australian healthcare professionals to help improve quality of life for their patients.



ABN: 38 672 318 151

L13/99 Walker St
North Sydney, 2060 NSW, Australia

Tel: 1300 706 908

Orders: orders@inmunotek.com.au

Enquiries: info@inmunotek.com.au

www.inmunotek.com.au

